

| | Bradford | | |
|---|--|--|--|
| Community Specification Sheet | | | |
| These features are unique to your Community. Any exceptions to the Collection Standards described below are noted here. | | | |
| Category | Specification | | |
| Community Specific: Foundation | 24" Stem Wall Foundation w/ 4 sides brick wrap | | |
| Community Specific: Exterior Siding Community Specific: Exterior Trim | Certain Teed® Fiber cement siding Certain Teed® Cement board soffits and porch ceilings; LP Fibertrim® Fascia and corners | | |
| | Tree and shrub landscape package - (12) Plants, (1) Tree, Pine Straw Beds, Fescue Sod to Rear Corners of Home, Seed & Straw | | |
| Community Specific: Landscaping | Rear (per community) | | |
| Community Specific: Garage | 2-Car / - Cur | | |
| Community Specific: Garage Door | 2-Stall Garage with carriage style doors, hardware, and windows; | | |
| Community Specific: Driveway/Sidewalk | Full 2 Car Driveway to street w/Tapered Driveway no wider than 12 ft. at curb | | |
| Community Specific: Furnace Room | Solid Core w/vents | | |
| Ventilation Community Specific: Utilities | | | |
| Community Specific: Mailbox | None None | | |
| Community Specific: Unique Elevation Reqirements | Community specific front elevation architectural details; In all planning areas, except as stated below, the front setback of a street-facing, attached garage or carport shall be recessed a minimum of 10 feet behind the front façade of the house and shall be a minimum of 20 feet behind the front property line; except if the house has a porch with a depth of at least six feet extending alonga minimum of 60 percent of the front façade (excluding garage width), the attached garage shall be a minimum of 10 feet behind the front of the porch, but not in front of the front facade | | |
| Collection Specification Exceptions: Misc | None | | |
| | Elements Specification Sheet | | |
| Any exceptions | to the specifications listed are noted in the Community Specifications (above). | | |
| | | | |
| Exterior: Masonry | Brick/stone applied to front facades only (per Elevation); all return walls will have vinyl/cement siding (per siding specification) | | |
| Exterior: Shutters Exterior: Windows | Mid America® Vinyl Shutters (per elevation) Anderson or PlyGem Low-E, single hung, dual pane, vinyl windows with screens | | |
| Exterior: Front Door | ThermaTru® Classic 6'8" six-panel steel insulated entry door with deadbolt | | |
| Exterior: Front Door Light | Seagul® Outdoor wall light (03IOL12BK) or flush mount light (6277-863) (per plan) | | |
| Exterior: Rear Door | ThermaTru® Classic Full light 6'8" steel rear door with deadbolt | | |
| Exterior: Rear Door Light Exterior: Ext Door HW | Seagul® 03IOL20BK Outdoor wall light Schlage® Builder Basic Brushed stainless door hardware | | |
| Exterior: Garage-To-House Door | 6' 8" six-panel steel door | | |
| Exterior: House-To-Garage Steps | Treated Lumber (when required) | | |
| Exterior: Garage Doors | Wayne-Dalton® 9100 (1-2) 8'x7' or (1) 16' x 7' insulated garage doors (Sonoma) (per plan) | | |
| Exterior: Coach Lights Exterior: Shingles | None TAMKO® Heritage 30 Year architectural shingles | | |
| Exterior: Porch Type | Full or Partial Porch (per elevation) | | |
| Exterior: Porch & Porch Step Railing | Painted wood rail and spindles (per elevation & as required per building codes) | | |
| Exterior: Gutters Exterior: Driveway/Sidewalk | 4" Seamless aluminum gutters with downspouts and splash blocks 4" Concrete | | |
| Exterior: Briveway/Sidewaik | 3x3 concrete stoop | | |
| Interior: Fireplace | None | | |
| Interior: Lighting - Recessed Can Lights | None | | |
| Interior: Lighting - Foyer | | | |
| Interior: Lighting - Dining Room | Maxim® 6260-1290 fixture (BN) | | |
| Interior: Lighting - Great Room Interior: Lighting - Hallways, Closets, Utility | Seagul® 6276-603 fixture (BN) | | |
| Room, & Common Areas | Varies per location, per plan. See Showroom. | | |
| Interior: Lighting - Master Bedroom | Ceiling light rough-in with switch | | |
| Interior: Lighting - Secondary Bdrms | Ceiling light rough-in with switch | | |
| Interior: Lighting - Garage Interior: Trim - Built ins | Keyless light fixture with bulb and switch MDF Painted built-in bench with cubbies (per plan) | | |
| Interior: Trim - Crown Molding Locations | None | | |
| | 505,8763 | | |
| Interior: Trim - Interior Openings Interior: Trim - Column Details | Drywall Wrapped Drywall wrapped (per plan) | | |
| Interior: Window Trim | Drywall wrapped window | | |
| Interior: Trim - Baseboard | MDF Colonial style base trim and casings | | |
| & Casing Interior: Trim - Ceiling | | | |
| Treatments | None | | |
| Interior: Trim - Study Ceiling Interior: Trim - Wainscot Locations | None Nane | | |
| Interior: Trim - Wainscot Locations Interior: Stair Parts - 1st Floor | None Half-wall with painted MDF cap at 1st floor stairs | | |
| Interior: Stair Parts - 2nd Floor & | Half-wall with painted MDF cap at 2nd floor stairs; oak (painted and/or stained) newel post and ballusters at overlooks | | |
| Overlooks Interior: Stair Treads | Mohawk® Boxed / Carpet treads | | |
| Interior: Interior Doors - 1st Floor | Masonite® 6'8" Hollow core doors (2 or 6 panel) | | |
| Interior: Interior Doors - 2nd Floor | Masonite® 6'8" Hollow core doors (2 or 6 panel) | | |
| Interior: Int Door HW Interior: Flooring - Default 1st Floor | Schlage® Builder Basic® interior door hardware (knobs) (BN) Armstrong® Vinyl flooring in foyer, kitchen, powder/bathroom, garage entrance/mudroom area. Mohawk® Carpet (Level 1) in living /great room, dining room, hallways, "My Space" areas and 1st floor bedrooms | | |
| Interior: Flooring - Default 2nd Floor | Armstrong® Vinyl flooring in bathroom, laundry and/or utility room (per plan). Mohawk® Carpet (Level 1) in all bedrooms, | | |
| Interior: Flooring - Carpet Pad | hallways and living areas 5.5lb carpet pad | | |
| Interior: Flooring - Carpet Fau Interior: Flooring - Mechanical/Storage | and the second s | | |
| Rooms | Armstrong® Vinyl Flooring | | |
| Interior: Drywall - House Interior: Drywall - Garage | Smooth finish walls and ceilings | | |
| Interior: Drywaii - Garage Interior: Paint - Walls | Rough tape seams; no insulation of exterior walls; ceiling insulation under living space only Sherwin Williams® Painters Edge® Flat wall paint (white) | | |
| Interior: Paint - Trim | Sherwin Williams® Painters Edge® Semi-gloss (white) | | |
| Interior: Shelving - Master Bedroom | Closet Maid® Wire ventilated single hung shelving | | |



DARETO COMPARE: 11. 11. 11. 11.

Bradford

| | Community Specification Sheet | |
|---|--|--|
| These features are unique to y | our Community. Any exceptions to the Collection Standards described below are noted here. | |
| Category | Specification | |
| Interior: Shelving - Secondary Bedrooms | Closet Maid® Wire ventilated single hung shelving | |
| Interior: Shelving - Pantry | Closet Maid® Wire ventilated shelving (5 shelves) | |
| Interior: Shelving - Linen Closets Interior: Shelving - Other Closets | Closet Maid® Wire ventilated shelving (5 shelves) Closet Maid® Wire ventilated single hung shelving | |
| Kitchen: Cabinets | Echelon® Advantage birch w/ 30" / 36" uppers with castle design, crown molding, refigerator end panels & cabinet above | |
| Kitchen: Cabinets - Island (per plan) | refrigerator Echelon® Advantage birch w/ Laminate woodgrain skin with corner bead trim and brackets (per plan) | |
| Kitchen: Cabinets - Hardware | None | |
| Kitchen: Cabinets - Butler Pantry (per plan | Echelon® Advantage birch w/ 30" / 36" uppers with pre-formed Wilsonart laminate countertop with integrated backsplash (per plan) | |
| Kitchen: Cabinets - Under Upper Cabinet | None | |
| Electrical Kitchen: Cabinets - Trash Can | None | |
| Kitchen: Cabinets - Tilt Out Sink Tray | None | |
| Kitchen: Cabinets - Drawer Upgrades Kitchen: Cabinets - Lower Slide Out | None | |
| Shelves | None | |
| Kitchen: Countertops | Wilsonart® Pre-formed laminate countertop with integrated backsplash | |
| Kitchen: Backsplash Kitchen: Plumbing - Faucet | Dal-Tile® 12" ceramic tile backsplash Moen® Chateau (7430) Single – handle with side spray (CH) | |
| Kitchen: Plumbing - Sink | ProFlo® PFT332264 22 gauge (6"depth) Stainless steel double bowl | |
| Kitchen: Appliances -Range Hood | Broan® B413001(W) or B413023(B) Range hood (black or white) | |
| Kitchen: Appliances - Microwave Hood | None | |
| Kitchen: Appliances - Dishwasher | Whirlpool® WDF110PABW, WDF110PABB Dishwasher (black or white) | |
| Kitchen: Appliances - Oven/Microwave Combo | None | |
| Kitchen: Appliances - Range | Whirlpool® WFC150MOEW, WFC150MOEB Electric range (white or black) | |
| Kitchen: Appliances - Disposal | ISE® Badger 1 Under sink 1/3 hp disposal | |
| Kitchen: Trim - Beams Kitchen: Lighting - Breakfast Nook | None Maxim® 6260-203 fixture (BN) | |
| Kitchen: Lighting - Island (per plan) | None | |
| Kitchen: Lighting - Overhead Master Bathroom: Cabinets - Vanity | Seagu ® 6260-3263 fixture (BN) | |
| | Echelon® Advantage birch raised w/ single - bowl (size and style per plan) | |
| Master Bathroom: Cabinets - Hardware | None | |
| Master Bathroom: Countertops Master Bathroom: Flooring | White cultured marble vanity top with built-in sink Armstrong® Vinyl flooring | |
| | Seagul® 4540011-773 3-light fixture (BN) (per bowl) | |
| | | |
| Master Bathroom: Lighting - Exhaust Fan | Broan® 678 Exhaust fan/light combination | |
| Master Bathroom: Plumbing - Soaking Tub | None | |
| | None | |
| Master Bathroom: Plumbing - Tub/Shower or Shower | Sterling® Medley (71370122) Vikreil 60"x30" tub/shower unit w/walls | |
| Master Bathroom: Plumbing - Shower or Tub/Shower Faucet | Moen® Chateau (TL183) Single - handle Shower Faucet (CH) | |
| Master Bathroom: Plumbing - Number of | Single or double (per plan) | |
| Vanities Master Bathroom: Plumbing - Vanity | | |
| Faucet | Moen® Brantford (6610) or Eva (6410) Dual - handle w/ 4" Centerset (CH) | |
| Master Bathroom: Plumbing - Toilet | Gerber® Maxwell 21-402 Standard height, round 1.6gpf (white) | |
| Master Bathroom: Accessories - Mirrors | Plate (1 - 2 per plan) | |
| Master Bathroom: Accessories - Shower Door/Shower Rod | Shower rod | |
| Master Bathroom: Accessories - Bath Hardware | Moen® Mason (1) Towel bar and (1) paper holder (CH) | |
| Secondary Bathroom: Cabinets - Vanity | Echelon® Advantage birch w/ single - bowl (size and style per plan) | |
| Secondary Bathroom: Cabinets - Hardware | | |
| Secondary Bathroom: Countertops | | |
| Secondary Bathroom: Flooring | White cultured marble vanity top with built-in sink Armstrong® Vinyl flooring | |
| Secondary Bathroom: Lighting - Vanity | Seagul® 6260-301 4 light strip (CH) | |
| Light Secondary Bathroom: Lighting - Exhaust | | |
| Fan | Broan® 678 Bath exhaust fan/light | |
| Secondary Bathroom: Plumbing - Tub/Shower | Sterling® Medley (71370122) Vikrell 60"x30" tub/shower unit w/walls | |
| Secondary Bathroom: Plumbing - Vanity Faucet | Moen® Brantford (6610) or Eva (6410) Dual - handle w/ 4" Centerset (CH) | |
| Secondary Bathroom: Plumbing - Tub/Shower Faucet | Moen® Chateau (TL183) Single - handie ⊤ub/shower faucet (CH) | |
| Secondary Bathroom: Plumbing - Toilet | Gerber® Maxwell 21-402 Standard height, round 1.6gpf (white) | |
| Secondary Bathroom: Accessories - Mirror | Plate (1 - 2 per plan) | |
| Secondary Bathroom: Accessories - Bath | | |
| Hardware | Moen® Mason (1) Towel bar and (1) paper holder (CH) | |
| Powder Room: Cabinets - Vanity Powder Room: Cabinets - Hardware | None None | |
| Powder Room: Countertops - Sink | None | |
| | | |



Warranty: Structural



Bradford Community Specification Sheet These features are unique to your Community. Any exceptions to the Collection Standards described below are noted here. Category Powder Room: Flooring Armstrong® Vinyl flooring Powder Room: Plumbing - Lav Faucet Moen® Brantford (6610) or Eva (6410) Dual - handle w/ 4" Centerset (CH) Powder Room: Plumbing - Toilet Gerber® Maxwell 21-402 Standard height, round 1.6gpf (white) Powder Room: Plumbing - Pedestal Sink Gerber® Maxwell 22-504 Petite w/4" Centerset hole drill (white) Seagul® 4540010-773 Two Light (BN) Powder Room: Lighting Powder Room: Lighting - Exhaust Fan Broan® 688 Fan Powder Room: Accessories - Wainscot Trim Powder Room: Accessories - Mirror Oval beveled mirror Powder Room: Accessories - Bath Moen® Mason (1) Towel ring and (1) paper holder (CH) Hardware Laundry Room: Cabinets Echelon® Advantage Folding table with laminate countertop - no cabinet (per plan) Laundry Room: Cabinets - Hardware None Armstrong® Vinyl flooring Laundry Room: Flooring Energy: Energy - HERS Energy HERS Energy rated by third-party Energy: Energy - Pre-drywali Inspection Pre-drywall energy inspection by third-party Energy: Energy - Blower Door Test Blower door tested for air leakage by third-party Energy: Lighting - Lightbulbs Compact Fluorescent light bulbs (per fixture) Weyerhauser® REX Vapor barrier Energy: House Wrap Energy: Insulation - Walls CertainTeed® Unfaced BATT R-13 fiberglass insulation (conditioned space) Energy: Insulation - Ceiling CertainTeed® Blown Cellulose R-30 blown insulation (living areas) HVAC: Furnace Carrier® Electric heat pump is standard (individual climate zone per floor) (1 - 2 per plan) HVAC: A/C Unit Carrier® 14 SEER air conditioning unit (1 - 2 per plan) Honeywell® TH4210D1005 (1) Thermostat per floor (programmable) HVAC: Thermostat Electrical: Main Service Eaton® CH42B200K 200 Amp Electrical service Electrical: Baseboards Outlet Electrical: Switches/Outlet C White switches and outlet covers Phone: Electrical - Phone/Cable Outlets (2) Phone outlet and (2) cable outlets Cable: Electrical - Smoke/Carbon Smoke and carbon monoxide detectors per code Monoxide Detectors Electrical: Garage Door Opener Garage door opener prewire Electrical: Exterior Electrical Outlets (2) weatherproof electric outlets (Determined by code) Plumbing: Water Heater Rheem® Fury 82V52-2 50 gallon electric water heater Plumbing: Supply Lines Rehau® PEX® system plumbing supply lines Plumbing: Hose Bibs (2) hose bibs (location per plan) Structural: Framing Georgia Pacific® Stick framed construction Structural: Framing - Studs - Walis 16" on center studs throughout home 9' first floor ceilings Structural: 1st Floor Ceiling Height Structural: 2nd Floor Ceiling Height 8' second floor ceilings (per plan) Structural: 2nd Floor System Georgia Pacific® Engineered I-Joist 2nd floor system Structural: Roof Trusse Engineered roof trusse Structural: Exterior Wall/Roof Sheathing OSB exterior wall and roof sheathing Structural: Sub-Floors OSB sub-floors, glued and screwed (2nd floor only)

| Buyer Signature: | Date: |
|------------------|-------|
| Buyer Signature: | Date: |

PWC® 10-year structural insurance backed warranty